


Frame-in Kit



Reflector Trim

Complete Fixture consists of Reflector Trim & Frame-In Kit. Select each separately.

Frame-In Kit	Reflector Trims — See Individual Reflector Trim Specification Sheets
	Adjustable Recessed
1100P1	1130CL 1130GD

Features

- 1. Housing:** 0.026" (#20 ga.) galvanized steel. Access door for inspection of junction box.
- 2. Mounting Frame:** 0.036" (#20 ga.) galvanized steel. Accommodates all ceilings up to 1" thick. Four slots are positioned 90° apart to simplify alignment. Push-in/twist-out rotoclips hold reflector flush to ceiling.
- 3. Junction Box:** 2" x 3 1/2" x 2", 0.063" (#14 ga.) galvanized steel. U.L. listed for, maximum of 8 No. 12 ga., 75°C through branch circuit conductors (60°C end of run). Integral cable clamps permit attachment of nonmetallic Romex® or armored cable without the need for additional connectors.
- 4. Mounting Bars:** 0.059" (#16 ga.) galvanized steel. 13" long bars extend to 27", rotatable and lockable, with integral T-bar tabs. Attach to wood joist or T-bar ceilings without need of accessories.
- 5. Socket:** Porcelain medium base; nickel plated screw shell. Pre-wired with #18 ga. SF1 leads to junction box.
- 6. Thermal Protector:** Meets NEC and U.L. requirements. Insulation must be kept 3" away from fixture sides and wiring compartment and must not be placed above fixture in a manner that will entrap heat.

Options & Accessories

- Mounting Bars:** 1976 - 13" set of (4)
Plaster Ceiling Ring: 1961 - 7/8" depth for wet plaster ceilings.
Extra-Thick Ceiling Mounting Ring: 1967A - up to 2" thick ceilings.

Labels

UL (Suitable for Damp Locations), I.B.E.W.

Romex® is a registered trademark of General Cable Industries Inc.

Job Information	Type:
Job Name:	
Cat. No.:	
Lamp(s):	
Notes:	

Lightolier a Genlyte Company www.lightolier.com
 631 Airport Road, Fall River, MA 02720 • (508) 679-8131 • Fax (508) 674-4710
 We reserve the right to change details of design, materials and finish.
 © 2011 Genlyte Group LLC • E0711

LIGHTOLIER®